

## ASSIGNMENT PROBLEM IN ENNEADECAgonal FUZZY NUMBER

V. Raju<sup>1</sup>

<sup>1</sup>Assistant Professor, School of Basic Sciences Department of Mathematics, Vels Institute of Science, Technology and Advanced Studies (VISTAS), Chennai-600 117, India.

DOI: <https://www.doi.org/10.58257/IJPREMS32919>

### ABSTRACT

An Assignment problem is very imperative type of linear programming problem which is used for allocating resources in an optimal way. Assignment problem has various applications in real world and day to day life situations. Strategy of fuzzy assignment problem is more appropriate than the conventional assignment problem. An enneadecagonal fuzzy assignment problem is altered into crisp valued problem using ranking method. We have applied regular method to obtain a minimum assignment cost in fuzzy environment for a fuzzy assignment problem with all parameters are enneadecagonal fuzzy numbers.

**Keywords:** Fuzzy number, Enneadecagonal fuzzy number, Fuzzy assignment problem, ranking method.

### 1. INTRODUCTION

Fuzzy sets are instigated and developed by Zadeh[1]. It was distended most and used vast in almost all the fields of engineering and Computational Mathematics. Fuzzy is to deal with uncertainty, indistinctness in our situation. Since the introduction of fuzzy set, remarkable advances have been made for the improvement of many methodologies by many researchers. Fuzzy applications are mainly useful in various decision making problems. Raju and Jayagopal [2] again has introduced the Icosikaitetragonal fuzzy number.

R.Dhananchezhiyan and V.Raju [3] have introduced enneadecagonal fuzzy number and its membership function. Here we are making use of an Enneadecagonal fuzzy number to solve the assignment problem. Assignment problems are largely used in manufacturing and service system. Project management is designed to control organization resources on a given set of activities, within time, cost and quality.

Therefore, the limited resources must be used efficiently such that the optimal available resources can be assigned to the most needed tasks so as to maximize and minimize the profit and cost respectively. In this paper, fuzzy assignment problem is transformed into crisp valued problem using ranking technique for Enneadecagonal fuzzy number. We have used regular method to find the optimal solution and the examples are given and explained.

### 2. PRELIMINARIES

In this section, we give the preliminaries that are required for this study.

**Definition 2.1.** A fuzzy set A is defined by  $A = \{(x, \mu_A(x)): x \in A, \mu_A(x) \in [0,1]\}$ . Here x is crisp set A and  $\mu_A(x)$  is membership function in the interval  $[0,1]$ .

**Definition 2.2.** The fuzzy number A is a fuzzy set whose membership function must satisfy the following conditions.

- (i) A fuzzy set A of the universe of discourse X is convex
- (ii) A fuzzy set A of the universe of discourse X is a normal fuzzy set if  $x_i \in X$  exists
- (iii)  $\mu_A(x)$  is piecewise continuous

**Definition 2.3** An  $\alpha$ -cut of fuzzy set A is classical set defined as  ${}^\alpha[A] = \{x \in X | \mu_A(x) \geq \alpha\}$

**Definition 2.4** A fuzzy set A is a convex fuzzy set iff each of its  $\alpha$ -cut  ${}^\alpha[A]$  is a convex set.

**Definition 2.5 Mathematical model of an assignment problem:**

The general form of Fuzzy assignment problem is

$$\text{Minimize } z = \sum_{i=1}^n \sum_{j=1}^n C_{ij} X_{ij}$$

Subject to the constraints  $\sum_{j=1}^n x_{ij} = 1 \quad \text{for } i = 1, 2, \dots, n$

$$\sum_{i=1}^n x_{ij} = 1, \quad j = 1, 2, 3, \dots, n$$

$$\text{where } x_{ij} = \begin{cases} 1, & \text{if the } i^{\text{th}} \text{ person is assigned the } j^{\text{th}} \text{ job} \\ 0, & \text{otherwise} \end{cases}$$

## 2.6 Ranking of Enneadecagonal fuzzy number:

Let  $I$  be a normal Enneadecagonal fuzzy number. The value  $M(I)$ , called as measure of  $I$  is calculated as

$$M(I) = \frac{e_1 + e_2 + e_3 + e_4 + e_5 + e_6 + e_7 + e_8 + e_9 + e_{10} + e_{11} + e_{12} + e_{13} + e_{14} + e_{15} + e_{16} + e_{17} + e_{18} + e_{19}}{19} \quad 19$$


where  $0 \leq k_1 \leq k_2 \leq k_3 \leq k_4 \leq 1$

## Definition 2.7

A fuzzy number  $A = (a_1, a_2, a_3, a_4, a_5, a_6, a_7, a_8, a_9, a_{10}, \dots, a_{19})$  is Enneadecagonal fuzzy number and its membership function is given by

$$\mu_A(x) = \begin{cases} 0, & \text{for } x < e_1 \\ k_1 \left( \frac{x - e_1}{e_2 - e_1} \right), & \text{for } e_1 \leq x \leq e_2 \\ k_1, & \text{for } e_2 \leq x \leq e_3 \\ k_1 + (k_2 - k_1) \left( \frac{x - e_3}{e_4 - e_3} \right), & \text{for } e_3 \leq x \leq e_4 \\ k_2, & \text{for } e_4 \leq x \leq e_5 \\ k_2 + (k_3 - k_2) \left( \frac{x - e_5}{e_6 - e_5} \right), & \text{for } e_5 \leq x \leq e_6 \\ k_3, & \text{for } e_6 \leq x \leq e_7 \\ k_3 + (k_4 - k_3) \left( \frac{x - e_7}{e_8 - e_7} \right), & \text{for } e_7 \leq x \leq e_8 \\ k_4, & \text{for } e_8 \leq x \leq e_9 \\ k_4 + (1 - k_4) \left( \frac{x - e_9}{e_{10} - e_9} \right), & \text{for } e_9 \leq x \leq e_{10} \\ k_4 + (1 - k_4) \left( \frac{e_{10} - x}{e_{11} - e_{10}} \right), & \text{for } e_{10} \leq x \leq e_{11} \\ k_4, & \text{for } e_{11} \leq x \leq e_{12} \\ k_3 + (k_4 - k_3) \left( \frac{e_{12} - x}{e_{13} - e_{12}} \right), & \text{for } e_{12} \leq x \leq e_{13} \\ k_3, & \text{for } e_{13} \leq x \leq e_{14} \\ k_2 + (k_3 - k_2) \left( \frac{e_{14} - x}{e_{15} - e_{14}} \right), & \text{for } e_{14} \leq x \leq e_{15} \\ k_2, & \text{for } e_{15} \leq x \leq e_{16} \\ k_1 + (k_2 - k_1) \left( \frac{e_{16} - x}{e_{17} - e_{16}} \right), & \text{for } e_{16} \leq x \leq e_{17} \\ k_1, & \text{for } e_{17} \leq x \leq e_{18} \\ k_1 \left( \frac{e_{18} - x}{e_{19} - e_{18}} \right), & \text{for } e_{18} \leq x \leq e_{19} \\ 0, & \text{for } x > e_{19} \end{cases}$$

## 2.8 Diagram of Enneadecagonal fuzzy number:



### 3.0 Numerical Example :

Consider the following  $3 \times 3$  fuzzy Assignment problem

$$\left[ \begin{array}{ccc} (-4,-3,-2,-1,0,1,2,3,4,5,) & (-3,-2,-1,0,1,2,3,4,5,6,) & (1,2,3,4,5,6,7,8,9,10,11,) \\ (6,7,8,9,10,11,12,13,14) & (7,8,9,10,11,12,13,14,15) & (12,13,14,15,16,17,18,19) \\ (-3,-2,-1,0,1,2,3,4,5,6,) & (-2,-1,0,1,2,3,4,5,6,7,8,) & (0,1,2,4,5,6,7,8,9,10,11,) \\ (7,8,9,10,11,12,13,14,15) & (9,10,11,12,13,14,15,16) & (12,13,14,16,18,20,22,24) \\ (0,1,2,3,4,5,6,7,9,10,11,) & (1,2,3,6,8,9,10,12,13,15,16,) & (-3,-2,-1,0,1,2,3,4,5,6,7,) \\ (13,14,15,17,19,21,22,25) & (17,19,20,22,23,25,28,30) & (8,9,10,11,12,13,14,15) \end{array} \right]$$

Step 1: This problem is solved by taking the values *for*  $k_1 = \frac{1}{5}, k_2 = \frac{2}{5}, k_3 = \frac{3}{5}, k_4 = \frac{4}{5}$

We obtain the values of Measure of matrix A and is denoted by  $\mu_{EDC}(a_{ij})$

$a_{11}$	$-4,-3,-2,-1,0,1,2,3,4,5,6,7,8,9,10,11,12,13,14$	$\mu_{EDC}( a_{11}) = 5$
$a_{12}$	$-3,-2,-1,0,1,2,3,4,5,6,7,8,9,10,11,12,13,14,15$	$\mu_{EDC}( a_{12}) = 6$
$a_{13}$	$1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19$	$\mu_{EDC}( a_{13}) = 10$
$a_{21}$	$-3,-2,-1,0,1,2,3,4,5,6,7,8,9,10,11,12,13,14,15$	$\mu_{EDC}( a_{21}) = 6$
$a_{22}$	$-2,-1,0,1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16$	$\mu_{EDC}( a_{22}) = 7$
$a_{23}$	$0,1,2,4,5,6,7,8,9,10,11,12,13,14,16,18,20,22,24$	$\mu_{EDC}( a_{23}) = 10.63$
$a_{31}$	$0,1,2,3,4,5,6,7,9,10,11,13,14,15,17,19,21,22,25$	$\mu_{EDC}( a_{31}) = 10.68$
$a_{32}$	$1,2,3,6,8,9,10,12,13,15,16,17,19,20,22,23,25,28,30$	$\mu_{EDC}( a_{32}) = 14.16$
$a_{33}$	$-3,-2,-1,0,1,2,3,4,5,6,7,8,9,10,11,12,13,14,15$	$\mu_{EDC}( a_{33}) = 6$

After ranking method, we have

$$\begin{bmatrix} 5 & 6 & 10 \\ 6 & 7 & 10.63 \\ 10.68 & 14.16 & 6 \end{bmatrix}$$

By solving the assignment technique, we have

$$\begin{bmatrix} 0 & 0 & 5 \\ 0 & 0 & 4.63 \\ 4.68 & 7.16 & 0 \end{bmatrix}$$

The Assignment cost =  $5 + 7 + 6 = 18$

### 3. CONCLUSION

In this paper, an Enneadecagonal fuzzy number has been used for decision the exposition of fuzzy assignment problem using ranking method and transforming fuzzy assignment problem into crisp valued problem. We applied standard method to discover the optimal solution for the fuzzy assignment problem and illustrated by a numerical example.

### 4. REFERENCES

- [1] L.A. Zadeh, , Fuzzy sets, Information and Control, 8(3) ,1965, 338-353.
- [2] V. Raju and R. Jayagopal, “A new operation on Icosikaitetragonal fuzzy number”, Journal of Combinatorial Mathematics and Combinatorial Computing ,Volume 112(2020 ), Page no : 127- 136

- [3] R.Dhananchezhiyan and V.Raju, " Fuzzy transportation problem in Enneadecagonal fuzzy number" Journal Of Electronics Information Technology Science And Management, Volume 12, Issue 9, 2022, Page number: 34-45
- [4] V.Raju and S.Ramachandran "Icosagonal fuzzy number in decision making problem" International Journal of Trend in Scientific Research and Development , Volume 5,Issue 6,2021, Page no : 1194-1199
- [5] S. Sasikumar and V.Raju " Study on Fuzzy game problem in Icosikaitetragonal Fuzzy number" Annals of Romanian Society for Cell biology , Volume 25,Issue 6, 2021, Page No : 10500-10508
- [6] V.Raju and S.Maria Jesu Raja "An Approach on Fuzzy game problem in Icosikaioctagonal Fuzzy number" Journal of Xidian University, Volume 14, Issue 4, 2020, Page no: 1009-1016
- [7] V.Raju and S.Arul Amirtha Raja " Study on fuzzy sequencing problem in Icosikaioctagonal Fuzzy Numbers" Journal of Xidian University, Volume 14, Issue 4, 2020, Page no: 3829-3837
- [8] V.Raju and S.Maria Jesu Raja " Fuzzy decision making problem in Icosikaioctagonal Fuzzy number" Journal of Xidian University, Volume 14, Issue 5, 2020, Page no: 3240-3248
- [9] R. Deepa and V. Raju "Solving Fuzzy Transportation Problem using Icosikaioctagonal Fuzzy Numbers" Journal of Shanghai Jiaotong University, Volume 16, Issue 7,2020 Page No: 162-173
- [10] S.Maria Jesu Raja and V.Raju "Elucidating Fuzzy Assignment problem Employing Icosikaioctagonal Fuzzy Number" Journal of Xi'an University of Architecture and Technology , Volume 12, Issue 6, 2020 ,Page no : 1681-1688
- [11] V.Ashok Kumar and V.Raju "An Approach on Fuzzy Assignment problem in Icosagonal Fuzzy Number" Journal of Xi'an University of Architecture and Technology, Volume 12, Issue 5, 2020 ,Page no : 3487-3493
- [12] V.Raju and M.ParuvathaVathana "Discourse on Fuzzy Game Problem in Icosagonal Fuzzy Number " International journal of scientific research and review volume 8, Issue 3, 2019, Page no: 1384-1390
- [13] V.Raju , Ranking Function on Icosagonal Fuzzy Number for Solving Fuzzy Transportation Problem, "Journal of Applied Science and Computations " Volume VI, Issue IV, 2019, Page No: 3631-3640
- [14] V.Raju and M.ParuvathaVathana "An Icosagonal Fuzzy Number for solving Fuzzy Sequence Problem" International journal of Research in Engineering, IT and Social Sciences" Volume 9, Issue 5, 2019. Page no: 37-40
- [15] V.Raju and M.ParuvathaVathana " Fuzzy Critical path method with Icosagonal Fuzzy Numbers using Ranking Method" A Journal of Composition Theory, Volume 12, Issue 9, 2019, Page no: 62-69
- [16] V. Raju and R. Jayagopal "An Approach on Icosikaioctagonal Fuzzy number- Traditional Operations on Icosikaioctagonal fuzzy number" A Journal of composition theory, Vol.XII, Issue X, 2019, Page No: 727-734
- [17] V. Raju and R. Jayagopal "An Arithmetic Operations of Icosagonal fuzzy number Using Alpha cut "International Journal of Pure and Applied Mathematics. Volume 120, No. 8, 2018, 137-145
- [18] V. Raju and R. Jayagopal" A Rudimentary Operations on Octagonal Fuzzy Numbers " International Journal of Research in Advent Technology Vol.6, No.6, June 2018,Page No: 1320-1323
- [19] V.Raju and M.Paruvatha Vathana " Graceful labeling for some complete bi partite garaph" Journal of computer and Mathematical sciences , Volume 9,Issue 12 ,2018, Page no : 2147-2152
- [20] R.Jayagopal and V.Raju "Domination Parameters in shadow graph and Path connected graph" International Journal of mathematics and its Applications , volume 6, Issue 2B,2018 , Page no : 167-172
- [21] K. Arulmozhi , V. Chinnadurai "Bipolar fuzzy soft hyper ideals of ordered –hypersemigroups  $\Gamma$  "International Journal of Scientific Research and Review Volume 8, Issue 1, 2019, Page No: 1134-1140