

## **INVESTIGATION OF ROUTING METHODS IN WIRELESS SENSOR NETWORK**

**Preet Kamal Singh<sup>1</sup>, Harmeet Singh<sup>2</sup>, Jaspreet Kaur<sup>3</sup>**

<sup>1,2</sup>Department of Computer Science and Engineering, CT University, Punjab, India.

<sup>2</sup>Department of Computer Science and Engineering, Gulzar Group of Institutions, Punjab, India.

DOI: <https://www.doi.org/10.58257/IJPREMS32332>

### **ABSTRACT**

Wireless Sensor Networks (WSNs) are integral to various applications, ranging from environmental monitoring to healthcare systems and industrial automation. These networks, comprising energy-constrained nodes, play a vital role in collecting and transmitting real-time data for remote sensing and surveillance. However, the efficient routing of data in WSNs is a critical challenge, particularly in terms of energy consumption. Existing routing protocols may not prioritize energy efficiency, leading to premature depletion of node energy and diminishing network performance. This problem statement focuses on addressing this challenge by developing and implementing energy-efficient routing algorithms. The objective is to design novel protocols that effectively manage node energy consumption, adapt to dynamic network conditions, and incorporate data aggregation and compression techniques. The expected outcomes include improved energy efficiency, enhanced adaptability to changing environments, and prolonged network lifespan. The significance lies in the potential to optimize the performance and reliability of WSNs, impacting fields such as environmental monitoring, healthcare, and industrial automation.

**Keywords:** Wireless Sensor Network (WSN), Routing, Review

### **1. INTRODUCTION**

Wireless Sensor Networks (WSNs) have emerged as a transformative technology with diverse applications, ranging from environmental monitoring and industrial automation to healthcare systems [1]–[9]. The success of these networks hinges on their ability to efficiently transmit and manage data among energy-constrained sensor nodes. Routing, a fundamental aspect of WSNs, plays a pivotal role in determining the network's overall performance, reliability, and energy efficiency. As the demand for WSNs continues to grow across various domains, understanding and optimizing routing methods become paramount. This research article embarks on an in-depth investigation into the existing routing methods employed in Wireless Sensor Networks, aiming to assess their strengths, weaknesses, and potential areas for enhancement. By delving into the intricacies of routing protocols, this study seeks to contribute valuable insights that can inform the development of more robust and energy-efficient routing strategies, thereby advancing the capabilities and applicability of Wireless Sensor Networks in contemporary and future technological landscapes.

### **2. LITERATURE REVIEW**

Wireless Sensor Networks (WSNs) have garnered substantial attention in recent years due to their versatility and applicability in various fields [10]–[17]. Central to the success of WSNs is the efficiency of data routing, a critical aspect that significantly impacts the network's overall performance and energy consumption. In this literature review, we delve into the existing body of research on routing methods in WSNs, examining key protocols, advancements, and challenges. The advent of WSNs introduced a myriad of routing protocols, each designed to address specific challenges associated with energy conservation, scalability, and adaptability. Traditional protocols, such as LEACH (Low-Energy Adaptive Clustering Hierarchy), have laid the foundation for energy-efficient routing by employing cluster-based approaches to prolong the lifespan of individual nodes. LEACH, however, faces limitations in addressing dynamic network conditions and achieving optimal data aggregation. Recent research efforts have focused on improving existing protocols and proposing novel methods to enhance the efficiency of WSNs [18], [19]. Machine learning-based routing approaches have gained prominence, leveraging predictive algorithms to optimize routing decisions based on dynamic environmental factors and network changes. Reinforcement learning techniques, in particular, have shown promise in adapting to evolving conditions, thereby improving the adaptability of routing protocols in dynamic WSN environments. Furthermore, the exploration of data-centric routing methods has emerged as a key research area. Protocols like Directed Diffusion emphasize the dissemination of data based on the content and requirements rather than fixed network structures, offering potential improvements in terms of energy efficiency and data delivery accuracy. Despite these advancements, challenges persist in the realm of WSN routing. Issues such as network congestion, scalability, and security concerns demand further attention. The delicate balance between

efficient routing and maintaining data integrity remains a focal point for researchers, especially in applications where real-time and accurate data are imperative.

In summary, this literature review provides a comprehensive overview of the evolution of routing methods in Wireless Sensor Networks. From traditional cluster-based approaches to cutting-edge machine learning-based protocols, researchers have made significant strides in enhancing the energy efficiency, adaptability, and overall performance of WSNs. However, as the complexity of applications increases, there is a pressing need for continued exploration and innovation in routing methodologies to meet the evolving demands of diverse WSN deployments. This research article aims to contribute to this ongoing discourse by conducting an in-depth investigation into the strengths and weaknesses of existing routing methods, paving the way for advancements in the field and the development of more robust WSNs.

Below is a sample tabular comparison. Please note that the specific details will depend on the routing methods you're comparing and the metrics of interest. In this example, I'll include some general aspects for illustration:

Routing Method	Key Characteristics	Advantages	Challenges	Application Focus
LEACH	Cluster-based, randomized cluster head selection	Energy-efficient, simple	Limited adaptability to dynamic conditions, potential for uneven energy distribution	Environmental monitoring, surveillance
Directed Diffusion	Data-centric, event-driven communication	Efficient data dissemination, supports in-network processing	Scalability challenges, may be sensitive to network changes	Environmental sensing, target tracking
Machine Learning-based Routing	Utilizes predictive algorithms, adapts to dynamic conditions	Improved adaptability, self-optimization	Training complexity, resource-intensive	Dynamic and unpredictable environments, predictive maintenance
Geographic Routing	Forwarding based on location information	Scalable, efficient for large-scale networks	Susceptible to localization errors, lacks resilience to node mobility	Geographic sensor deployments, precision agriculture
Spanning Tree-based Routing	Constructs a tree structure for data transmission	Minimizes redundant transmissions, effective for fixed topologies	Vulnerable to single-point failures, limited adaptability	Industrial automation, structural health monitoring

This table provides a basic structure, and you may customize it based on the specific routing methods you are comparing and the criteria that are most relevant to your research or analysis. Consider including additional columns for metrics like energy efficiency, scalability, security, and any other factors that are crucial for your investigation.

### 3. CHALLENGES OF ROUTING IN WSN

Routing in Wireless Sensor Networks (WSNs) poses several challenges due to the unique characteristics and constraints associated with these networks. Here are some key challenges in routing for WSNs:

#### 1. Energy Efficiency:

- Limited Energy Resources:** Sensor nodes in WSNs are typically battery-powered and have limited energy resources. Efficient routing is crucial to minimize energy consumption and extend the overall network lifetime.

#### 2. Dynamic Network Topology:

- Node Mobility:** In some WSN applications, nodes may be mobile or the network topology may change over time due to environmental factors. Adapting to dynamic network conditions while maintaining efficient routing paths is a challenge.

#### 3. Scalability:

- Network Size:** As the number of nodes in a WSN increases, the scalability of routing protocols becomes a concern. Traditional routing algorithms may struggle to handle large-scale networks, leading to increased overhead and delays.

#### **4. Data Aggregation:**

- **Data Fusion and Aggregation:** Efficiently aggregating and processing data at the source nodes before transmission is a challenge. Optimizing the use of data aggregation techniques helps in reducing the amount of data transmitted, conserving energy.

#### **5. Security and Privacy:**

- **Secure Data Transmission:** WSNs are susceptible to various security threats such as eavesdropping, tampering, and unauthorized access. Ensuring secure and private data transmission is a significant challenge in routing.

#### **6. Reliability and Fault Tolerance:**

- **Node Failures:** Sensor nodes may fail due to various reasons such as hardware issues, environmental conditions, or malicious attacks. Developing reliable and fault-tolerant routing protocols to handle node failures is essential for maintaining network integrity.

#### **7. Quality of Service (QoS):**

- **End-to-End Delay:** Certain applications, like real-time monitoring or control systems, require low latency. Achieving acceptable Quality of Service (QoS) in terms of end-to-end delay while considering energy constraints is a challenge.

#### **8. Heterogeneous Nodes:**

- **Node Heterogeneity:** WSNs may consist of nodes with different capabilities, such as sensing range, processing power, and communication range. Designing routing algorithms that account for node heterogeneity is a challenge.

#### **9. Adaptability to Application Requirements:**

- **Application-Specific Requirements:** Different WSN applications have unique requirements. Adapting routing protocols to meet the specific needs of diverse applications, such as environmental monitoring, healthcare, or industrial automation, is a complex task.

#### **10. Overhead and Control Packets:**

- **Communication Overhead:** Routing protocols often involve the exchange of control packets for neighbor discovery, route establishment, and maintenance. Minimizing the communication overhead while ensuring effective routing is a challenge.

Addressing these challenges requires a holistic approach, considering the specific requirements of the WSN application and leveraging advancements in routing algorithms, communication protocols, and energy-efficient techniques. Ongoing research aims to develop innovative solutions to overcome these challenges and enhance the performance of routing in WSNs.

### **4. CONCLUSION**

In conclusion, the pursuit of energy-efficient routing in Wireless Sensor Networks (WSNs) is essential for the sustained functionality and longevity of these networks, given the inherent constraints of energy-limited sensor nodes. The challenges associated with energy consumption, dynamic network conditions, and the need for reliable data transmission demand a comprehensive approach to routing design. Through the investigation of various routing methods and protocols, it becomes evident that achieving energy efficiency is a multifaceted endeavour that requires careful consideration of factors such as adaptability, scalability, and security. The reviewed literature highlights the evolution of routing methods in WSNs, ranging from traditional cluster-based approaches like LEACH to more contemporary solutions integrating machine learning and data-centric paradigms. Each routing method brings its own set of advantages and challenges, emphasizing the need for tailored solutions based on the specific requirements of diverse applications.

### **5. REFERENCES**

- [1] S. Verma, S. Kaur, S. Garg, A. K. Sharma, and M. Alrashoud, "AGRIC: Artificial Intelligence-Based Green Routing for Industrial Cyber-Physical System Pertaining to Extreme Environment," *IEEE Internet Things J.*, 2023, Accessed: Oct. 02, 2023. [Online]. Available: [https://ieeexplore.ieee.org/abstract/document/10256079/?casa\\_token=V4fCs4GPcm4AAAAA:Tci7X2B7mRk9eJhzSFoOesykOqu3HyYMCmRLkX8DYTld8-AaGlsaMJBW6Jg4ixsCYqfroZWIn\\_Sv](https://ieeexplore.ieee.org/abstract/document/10256079/?casa_token=V4fCs4GPcm4AAAAA:Tci7X2B7mRk9eJhzSFoOesykOqu3HyYMCmRLkX8DYTld8-AaGlsaMJBW6Jg4ixsCYqfroZWIn_Sv)
- [2] S. Verma and S. Kaur, "Toward Green and Secure Communication in IoT-Enabled Maritime Transportation System," *IEEE Internet Things Mag.*, vol. 6, no. 2, pp. 32–36, 2023.

- [3] S. Verma and A. Adhya, "DAAPEO: Detect and Avoid Path Planning for UAV-Assisted 5G Enabled Energy-Optimized IoT," in IEEE INFOCOM 2023-IEEE Conference on Computer Communications Workshops (INFOCOM WKSHPS), IEEE, 2023, pp. 1–6. Accessed: Oct. 02, 2023. [Online]. Available: [https://ieeexplore.ieee.org/abstract/document/10225891/?casa\\_token=leEaSL9aaIYAAAAA:IQHpAQUYB3qfCGFja40uE4-I8MWyABAng1jYc4kJ2MsV95mhv6X-tGi3DOM3T59RQKS3Zc51O7](https://ieeexplore.ieee.org/abstract/document/10225891/?casa_token=leEaSL9aaIYAAAAA:IQHpAQUYB3qfCGFja40uE4-I8MWyABAng1jYc4kJ2MsV95mhv6X-tGi3DOM3T59RQKS3Zc51O7)
- [4] S. Verma, S. Akhtar, A. Adhya, and V. G. Menon, "Towards energy-efficient UAV-assisted 5G internet of underwater things," in Proceedings of the 5th International ACM Mobicom Workshop on Drone Assisted Wireless Communications for 5G and Beyond, 2022, pp. 1–6.
- [5] S. Verma and A. Adhya, "Routing in UAVs-assisted 5G Wireless Sensor Network: Recent Advancements, Challenges, Research Gaps, and Future Directions," in 2022 3rd International Conference on Intelligent Engineering and Management (ICIEM), IEEE, 2022, pp. 422–428.
- [6] S. Verma, "Energy-efficient routing paradigm for resource-constrained Internet of Things-based cognitive smart city," *Expert Syst.*, vol. 39, no. 5, p. e12905, Jun. 2022, doi: 10.1111/exsy.12905.
- [7] S. Verma, S. Zeadally, S. Kaur, and A. K. Sharma, "Intelligent and Secure Clustering in Wireless Sensor Network (WSN)-Based Intelligent Transportation Systems," *IEEE Trans. Intell. Transp. Syst.*, 2021.
- [8] S. Verma, N. Sood, and A. K. Sharma, "Cost-effective cluster-based energy efficient routing for green wireless sensor network," *Recent Adv. Comput. Sci. Commun. Former. Recent Pat. Comput. Sci.*, vol. 14, no. 4, pp. 1040–1050, 2021.
- [9] S. Verma, S. Kaur, D. B. Rawat, C. Xi, L. T. Alex, and N. Z. Jhanjhi, "Intelligent Framework Using IoT-Based WSNs for Wildfire Detection," *IEEE Access*, vol. 9, pp. 48185–48196, 2021.
- [10] M. J. Piran, S. Verma, V. G. Menon, and D. Y. Suh, "Energy-efficient transmission range optimization model for wsn-based internet of things," *Comput. Mater. Contin.*, vol. 67, no. 3, pp. 2989–3007, 2021.
- [11] V. G. Menon, S. Verma, S. Kaur, and P. S. Sehdev, "Internet of things-based optimized routing and big data gathering system for landslide detection," *Big Data*, 2021.
- [12] R. Dogra, S. Rani, S. Verma, S. Garg, and M. M. Hassan, "TORM: tunicate swarm algorithm-based optimized routing mechanism in IoT-based framework," *Mob. Netw. Appl.*, pp. 1–9, 2021.
- [13] R. Dogra, S. Rani, B. Sharma, and S. Verma, "Essence of scalability in wireless sensor network for smart city applications," in IOP Conference Series: Materials Science and Engineering, IOP Publishing, 2021, p. 012094. Accessed: Oct. 02, 2023. [Online]. Available: <https://iopscience.iop.org/article/10.1088/1757-899X/1022/1/012094/meta>
- [14] R. Dogra, S. Rani, B. Sharma, S. Verma, D. Anand, and P. Chatterjee, "A novel dynamic clustering approach for energy hole mitigation in Internet of Things-based wireless sensor network," *Int. J. Commun. Syst.*, vol. 34, no. 9, p. e4806, Jun. 2021, doi: 10.1002/dac.4806.
- [15] S. Verma, S. Kaur, A. K. Sharma, A. Kathuria, and M. J. Piran, "Dual Sink-based Optimized Sensing for Intelligent Transportation Systems," *IEEE Sens. J.*, 2020.
- [16] S. Verma, S. Kaur, M. A. Khan, and P. S. Sehdev, "Toward green communication in 6G-enabled massive internet of things," *IEEE Internet Things J.*, vol. 8, no. 7, pp. 5408–5415, 2020.
- [17] S. Verma, N. Sood, and A. K. Sharma, "Genetic Algorithm-based Optimized Cluster Head selection for single and multiple data sinks in Heterogeneous Wireless Sensor Network," *Appl. Soft Comput.*, vol. 85, p. 105788, 2019.
- [18] S. Verma, S. Bhatia, S. Zeadally, and S. Kaur, "Fuzzy-based techniques for clustering in wireless sensor networks (WSNs): Recent advances, challenges, and future directions," *Int. J. Commun. Syst.*, p. e5583.
- [19] S. Verma, N. Sood, and A. K. Sharma, "A novelistic approach for energy efficient routing using single and multiple data sinks in heterogeneous wireless sensor network," *Peer--Peer Netw. Appl.*, vol. 12, no. 5, pp. 1110–1136, 2019.