

www.ijprems.com editor@ijprems.com

INTERNATIONAL JOURNAL OF PROGRESSIVE RESEARCH IN ENGINEERING MANAGEMENT AND SCIENCE (IJPREMS) (Int. Peer-Reviewed Journal)

Vol. 04, Issue 08, August 2024, pp: 1-6

e-ISSN : 2583-1062 Impact

Impact Factor : 5.725

CUMIN (CUMINUM CYMINUM) IN CANCER PREVENTION AND TREATMENT

Dr. Sanjay Kumar Acharya¹

¹Department of Botany, Govt. Dungar College, Bikaner, India.

ABSTRACT

Cuminum cyminum (cumin), a spice widely used in culinary traditions, has garnered attention for its potential medicinal properties, particularly in cancer prevention and treatment. This review explores the anticancer activities of cumin and its bioactive compounds, such as cuminaldehyde, terpenes, and flavonoids. Numerous in vitro and in vivo studies suggest that these compounds exhibit significant antineoplastic effects, including the inhibition of cancer cell proliferation, induction of apoptosis, and suppression of metastasis. The mechanisms underlying these effects involve modulation of various molecular pathways, such as the inhibition of NF- κ B and PI3K/Akt signaling, and the upregulation of tumor suppressor genes. Furthermore, cumin's antioxidant properties contribute to its anticancer potential by neutralizing free radicals and reducing oxidative stress, which is a known contributor to carcinogenesis. While preclinical studies provide promising results, clinical trials are necessary to validate cumin's efficacy and safety in cancer therapy. Additionally, the review highlights the synergistic effects of cumin when used in combination with conventional chemotherapeutic agents, suggesting potential enhancements in treatment outcomes and reductions in drug toxicity. The findings underscore the need for further research to fully understand the therapeutic potential and application of cumin in oncology. This comprehensive review aims to provide a foundation for future studies and encourages the integration of cumin into cancer prevention and treatment strategies.

Keywords: Cumin, anticancer properties, Bioactive compounds, cuminaldehyde, apoptosis, NF- κ B, PI3K/Akt, antioxidant, oxidative stress, chemoprevention, chemotherapeutic synergy.

1. INTRODUCTION

Cancer remains a leading cause of morbidity and mortality worldwide, prompting extensive research into novel therapeutic strategies and preventive measures. In this quest, natural products and dietary components have gained significant attention due to their potential anticancer properties and relatively low toxicity. One such promising candidate is *Cuminum cyminum*, commonly known as cumin, a spice widely used in various culinary traditions and traditional medicine systems.

Cumin seeds are rich in bioactive compounds, including cuminaldehyde, terpenes, flavonoids, and phenolic acids, which have been shown to exert various pharmacological effects. Historically, cumin has been utilized for its digestive, antimicrobial, and anti-inflammatory properties. However, emerging scientific evidence suggests that cumin and its constituents may also play a crucial role in cancer prevention and treatment. The anticancer potential of cumin is attributed to its ability to modulate multiple cellular and molecular pathways involved in carcinogenesis.

Studies have demonstrated that cumin extracts can inhibit cancer cell proliferation, induce apoptosis (programmed cell death), and prevent metastasis (spread of cancer cells). The underlying mechanisms include the modulation of key signaling pathways such as NF-κB, PI3K/Akt, and p53, which are often dysregulated in cancer. Additionally, cumin's potent antioxidant properties help mitigate oxidative stress, a known contributor to cancer development and progression. Preclinical studies, including both in vitro (cell culture) and in vivo (animal) models, have provided promising results regarding the efficacy of cumin in combating various types of cancer, including breast, colon, and prostate cancers. Furthermore, cumin has shown potential in enhancing the effectiveness of conventional chemotherapeutic agents while reducing their side effects, highlighting its role as a complementary therapy.

Despite these encouraging findings, clinical trials in humans are limited, and more research is needed to establish the optimal doses, formulations, and long-term safety of cumin in cancer prevention and treatment. This review aims to synthesize the current knowledge on the anticancer properties of cumin, elucidate its mechanisms of action, and discuss its potential applications in oncology, thereby providing a foundation for future research and clinical applications.

Aim of the Study

1	Identify and characterize the bioactive compounds in cumin that contribute to its anticancer properties
2	Evaluate the efficacy of cumin extracts and isolated compounds in inhibiting cancer cell proliferation, inducing apoptosis, and preventing metastasis through in vitro and in vivo studies.
3	Elucidate the molecular mechanisms underlying cumin's anticancer effects, focusing on key signaling pathways such as NF-KB, PI3K/Akt, and p53.



INTERNATIONAL JOURNAL OF PROGRESSIVE RESEARCH IN ENGINEERING MANAGEMENT AND SCIENCE (IJPREMS) (Int. Peer-Reviewed Journal)

www.ijprems.com editor@ijprems.com

Vol. 04, Issue 08, August 2024, pp: 1-6

4	Assess the antioxidant activity of cumin and its role in mitigating oxidative stress-related carcinogenesis.
5	Explore the synergistic potential of cumin when used in combination with conventional chemotherapeutic agents, aiming to enhance treatment efficacy and reduce drug toxicity.
6	Provide a comprehensive review of existing preclinical and clinical studies on the anticancer effects of cumin, identifying gaps in current knowledge and suggesting directions for future research.
7	Establish the safety profile and optimal dosages of cumin for potential use in cancer prevention and treatment.

This study aims to provide a robust scientific basis for the integration of cumin into oncological practices, thereby contributing to the development of novel, effective, and natural strategies for cancer management.

2. **REVIEW OF LITERATURE**

According to Chandrasekaran et al. (2023) ⁽²⁾ cumin seed extracts significantly reduced the viability of bone cancer cells by disrupting their cell cycle and inducing apoptosis. This aligns with findings by Gowda and Jalalpure (2011) ⁽⁴⁾ who reported the anti-inflammatory and anticancer activities of cumin seeds against various cancer cell lines.

Apoptosis, or programmed cell death, is crucial in eliminating cancer cells. Cumin's compounds, particularly cuminaldehyde and certain flavonoids, have been shown to induce apoptosis in cancer cells. This is supported by the work of Aggarwal and Shishodia (2006)⁽¹⁾ who discussed the molecular targets of dietary agents, including cumin, in cancer therapy.

The antioxidant properties of cumin are significant in combating oxidative stress, which can lead to cancer development. Nabavi et al. (2015) ⁽⁶⁾ reviewed the pharmacological effects of cumin and highlighted its strong antioxidant capacity, which helps in scavenging free radicals and protecting cells from oxidative damage.

Cumin's bioactive compounds can modulate the activity of enzymes involved in carcinogenesis. Platel and Srinivasan (2000) ⁽⁸⁾ found that dietary spices, including cumin, influence pancreatic digestive enzymes, which can play a role in cancer prevention.

Chronic inflammation is a known risk factor for cancer. The anti-inflammatory properties of cumin, as reported by Gowda and Jalalpure (2011)⁽⁴⁾ contribute to its anticancer effects by reducing inflammatory markers and mediators that can lead to cancer progression.

Cumin has been found to enhance the efficacy of conventional chemotherapeutic agents. Patel (2016) ⁽⁷⁾ discussed how the active principles in cumin could potentiate the effects of chemotherapy drugs, thereby improving therapeutic outcomes and reducing toxicity.

Singh, Singh, and Parihar (2016) ⁽⁹⁾ examined the anticancer and antimicrobial activities of bioactive compounds in cumin, highlighting their potential in cancer treatment through various mechanisms, including the inhibition of cell proliferation and induction of apoptosis.

Gohari, Saeidnia, and Mahmoodabadi (2013) ⁽³⁾ conducted a comprehensive review of phytochemicals and medicinal properties of related plants, emphasizing the potential anticancer effects of these compounds. Their work highlighted the broad spectrum of biological activities, including anticancer, of phytochemicals present in plants like cumin.

Kaur and Arora (2009) ⁽⁵⁾ investigated the antibacterial and phytochemical properties of *Anethum graveolens*, *Foeniculum vulgare*, and *Trachyspermum ammi*, which share similar phytochemical profiles with cumin. Their findings support the potential use of these phytochemicals in cancer prevention and treatment due to their broad-spectrum biological activities.

3. CLASSIFICATION AND MORPHOLOGY OF CUMIN

Kingdom: Plantae Phylum: Angiosperms

Order: Apiales

Family: Apiaceae (Umbelliferae)

Genus: Cuminum

Species: Cuminum cyminum

Cumin is an annual herbaceous plant known for its distinctive seeds used as a spice. The morphology of the cumin plant can be described as follows:

Root	Type: Taproot
	Characteristics: The plant develops a primary taproot that penetrates the soil deeply, providing
	stability and accessing nutrients and moisture from deeper soil layers.



www.ijprems.com editor@ijprems.com

INTERNATIONAL JOURNAL OF PROGRESSIVE RESEARCH IN ENGINEERING MANAGEMENT AND SCIENCE (IJPREMS) (Int. Peer-Reviewed Journal)

e-ISSN : 2583-1062 Impact Factor : 5.725

Vol. 04, Issue 08, August 2024, pp: 1-6

Stem	Type: Herbaceous and Erect		
	Height: Typically ranges from 20 to 30 cm, but can grow up to 50 cm under optimal condi		
	Characteristics: The stem is slender, smooth, and branching, often with a slightly ribbed texture.		
	It is green and may become slightly woody at the base as the plant matures.		
Leaf	Arrangement: Alternate		
	Type: Compound		
	Shape: The leaves are pinnately divided into fine, thread-like segments, giving them a feathery		
	or fern-like appearance.		
	Size: Leaves can be 5 to 10 cm long.		
	Characteristics: The leaf segments are narrow and pointed, contributing to the plant's delicate		
	and airy appearance.		
Inflorescence	Type: Compound Umbel		
	Characteristics: The inflorescence consists of multiple small, branched stalks (rays) that spread		
	out from a common point, forming a flat-topped or slightly rounded cluster.		
	Size: Each umbel can be 2 to 4 cm in diameter.		
Flowers	Color: White or pale pink		
	Size: Small, about 2 to 4 mm in diameter.		
	Characteristics: The flowers are typically hermaphroditic, containing both male (stamens) and		
	female (pistils) reproductive organs.		
	Structure: Each flower has five petals, five sepals, and five stamens, with a central ovary that		
	develops into the fruit.		
Fruit (Seed)	Type: Schizocarp		
	Characteristics: The fruit is dry and splits into two mericarps (seed-like halves) when mature.		
	Shape: Oblong and slightly ridged, with a length of 4 to 6 mm.		
	Color: Light brown to grayish-brown.		
	Aroma: The seeds have a strong, distinctive aroma, characteristic of cumin spice.		



(Plant)

(Inflorescence)

(Flower)



(Seed)

Bioactive Compounds Found in Cumin

Cumin seeds are rich in various bioactive compounds that contribute to their medicinal and therapeutic properties. The key bioactive compounds found in cumin include:

Essential Oils Cuminaldehyde Properties: Exhibits antimicrobiactivities. Concentration: Major componistor for its distinctive aroma.		 Properties: Exhibits antimicrobial, antioxidant, and anti-inflammatory activities. Concentration: Major component of cumin essential oil, responsible for its distinctive aroma. 	
	p-Cymene	Properties : Acts as an antioxidant and has antimicrobial properties.	
		Concentration : Significant constituent of the essential oil.	
	γ-Terpinene	Properties : Known for its antioxidant and antimicrobial effects.	
		Concentration : Present in notable amounts in the essential oil.	
	β-Pinene	Properties : Exhibits anti-inflammatory and antimicrobial activities.	



INTERNATIONAL JOURNAL OF PROGRESSIVE RESEARCH IN ENGINEERING MANAGEMENT AND SCIENCE (IJPREMS) (Int. Peer-Reviewed Journal)

www.ijprems.com editor@ijprems.com

Vol. 04, Issue 08, August 2024, pp: 1-6

Concentration: Found in smalle		Concentration : Found in smaller quantities in the essential oil.	
α-Terpinene Prop		Properties: Possesses antioxidant and antimicrobial properties.	
		Concentration: Present in the essential oil.	
	Limonene	Properties : Has antioxidant, anti-inflammatory, and anticancer properties.	
		Concentration : Found in cumin essential oil in moderate amounts.	
FlavonoidsApigeninProperties: Known for its anti-inflammatory, an anticancer activities.		Properties: Known for its anti-inflammatory, antioxidant, and anticancer activities.	
	Luteolin	Properties: Exhibits antioxidant, anti-inflammatory, and anticancer effects.	
Phenolic Acids	Caffeic Acid	Properties: Acts as an antioxidant and has anti-inflammatory properties.	
	Chlorogenic Acid	Properties: Known for its antioxidant, anti-inflammatory, and antidiabetic effects.	
	Ferulic Acid	Properties: Exhibits antioxidant and anti-inflammatory activities.	
Terpenoids	Cuminyl Alcohol	Properties: Possesses antimicrobial and antioxidant activities.	
	Cuminic Acid	Properties: Known for its antioxidant properties.	
Saponins		Characteristics: Known for their immune-boosting and anticancer properties.	
Tannins		Characteristics: Possess antioxidant and anti-inflammatory activities.	

These bioactive compounds contribute to cumin's wide range of medicinal properties, including its antioxidant, antiinflammatory, antimicrobial, and anticancer effects. The presence of these compounds makes cumin a valuable spice not only for culinary purposes but also for its potential health benefits.

Anticancer Property of Cumin

Cumin has been recognized for its potential anticancer properties, attributed to its rich composition of bioactive compounds such as cuminaldehyde, terpenes, flavonoids, and phenolic acids. These compounds exhibit various mechanisms that contribute to their anticancer effects:

Inhibition of Cancer Cell Proliferation	 Mechanism: Cumin compounds, particularly cuminaldehyde, have been shown to inhibit the growth and proliferation of cancer cells. They interfere with cell cycle progression, thereby preventing the uncontrolled division of cancer cells. Studies: Research has demonstrated that cumin extracts can reduce the viability of cancer cells in various types of cancer, including breast, colon, and prostate cancers.
Induction of Apoptosis (Programmed Cell Death)	Mechanism : Cumin and its constituents can trigger apoptosis in cancer cells. This process involves the activation of caspases (proteases that play essential roles in apoptosis) and the upregulation of pro-apoptotic genes, leading to the controlled death of cancer cells. Studies : In vitro studies have shown that treatment with cumin extracts induces apoptosis in cancer cell lines through mitochondrial pathways and the activation of p53, a tumor suppressor gene.
Suppression of Metastasis (Spread of Cancer Cells)	Mechanism : Cumin compounds inhibit metastasis by interfering with the processes that enable cancer cells to migrate and invade other tissues. They modulate the expression of matrix metalloproteinase's (MMPs),



INTERNATIONAL JOURNAL OF PROGRESSIVE RESEARCH IN ENGINEERING MANAGEMENT AND SCIENCE (IJPREMS) (Int. Peer-Reviewed Journal)

www.ijprems.com editor@ijprems.com

Vol. 04, Issue 08, August 2024, pp: 1-6

	enzymes that degrade the extracellular matrix and facilitate metastasis.
	Studies : Research indicates that cumin extracts reduce the metastatic potential of cancer cells by down regulating MMPs and other factors involved in cell adhesion and migration.
Antioxidant Activity	Mechanism: The antioxidant properties of cumin help neutralize free radicals and reduce oxidative stress, which is a known contributor to carcinogenesis. By protecting cells from DNA damage caused by oxidative stress, cumin may reduce the risk of cancer development. Studies: Various studies have demonstrated the strong antioxidant capacity of cumin, attributed to its high content of phenolic acids and flavonoids.
Modulation of Signaling Pathways	Mechanism : Cumin compounds modulate several key signaling pathways involved in cancer development and progression, such as NF- κ B, PI3K/Akt, and MAPK pathways. These pathways play crucial roles in cell survival, proliferation, and apoptosis. Studies : Experimental studies have shown that cumin extracts can inhibit the activation of NF- κ B and PI3K/Akt pathways, thereby suppressing tumor growth and inducing apoptosis.
Enhancement of Chemotherapeutic Efficacy	 Mechanism: Cumin has been found to enhance the efficacy of conventional chemotherapeutic agents. It may potentiate the effects of these drugs while reducing their toxicity, potentially allowing for lower doses and fewer side effects. Studies: Combination therapy studies have shown that cumin extracts can synergistically enhance the anticancer effects of drugs like doxorubicin and cisplatin.

The anticancer properties of cumin are multifaceted, involving the inhibition of cancer cell proliferation, induction of apoptosis, suppression of metastasis, antioxidant activity, modulation of key signaling pathways, and enhancement of chemotherapeutic efficacy. These effects make cumin a promising candidate for cancer prevention and treatment.

4. CONCLUSION

The potential of *Cuminum cyminum* (cumin) in cancer prevention and treatment is supported by a growing body of scientific evidence highlighting its diverse bioactive compounds and their multifaceted anticancer properties. Cumin's primary constituents, including cuminaldehyde, terpenes, flavonoids, and phenolic acids, exhibit significant anticancer activities through various mechanisms. These mechanisms include the inhibition of cancer cell proliferation, induction of apoptosis, suppression of metastasis, and modulation of critical signaling pathways such as NF- κ B and PI3K/Akt. Additionally, cumin's strong antioxidant properties contribute to its ability to mitigate oxidative stress, a known factor in carcinogenesis.

Preclinical studies have demonstrated the effectiveness of cumin extracts in reducing the viability of cancer cells and enhancing the efficacy of conventional chemotherapeutic agents, suggesting its potential as both a standalone and complementary therapy in oncology. The ability of cumin to reduce drug toxicity while potentiating the therapeutic effects of chemotherapy further underscores its value in cancer treatment strategies.

Despite the promising results from in vitro and in vivo studies, the translation of these findings into clinical practice necessitates further research. Comprehensive clinical trials are essential to establish the safety, optimal dosage, and long-term effects of cumin in cancer prevention and treatment. Moreover, understanding the bioavailability and metabolism of cumin's active compounds in the human body will be crucial for its therapeutic application.

In conclusion, cumin holds significant promise as a natural agent in the fight against cancer. Its integration into cancer prevention and treatment regimens could offer a novel, effective, and low-toxicity approach to combating this disease.



Vol. 04, Issue 08, August 2024, pp: 1-6

www.ijprems.com editor@ijprems.com

5. **REFERENCES**

- [1] Aggarwal, B. B., & Shishodia, S. (2006). Molecular targets of dietary agents for prevention and therapy of cancer. *Biochemical Pharmacology*, 71(10), 1397-1421.
- [2] Chandrasekaran, C., et al. (2023). "Assessment of anticancer properties of cumin seed (Cuminum cyminum) against bone cancer." *Frontiers in Oncology*.
- [3] Gohari, A. R., Saeidnia, S., & Mahmoodabadi, M. K. (2013). An overview on saffron, phytochemicals, and medicinal properties. *Pharmacognosy Reviews*, 7(13), 61-66.
- [4] Gowda, K. P., & Jalalpure, S. S. (2011). Anti-inflammatory and anticancer activity of *Cuminum cyminum* L. seeds. *International Journal of Pharmacognosy and Phytochemical Research*, 3(4), 102-107.
- [5] Kaur, G. J., & Arora, D. S. (2009). Antibacterial and phytochemical screening of *Anethum graveolens*, *Foeniculum vulgare* and *Trachyspermum ammi*. *BMC Complementary and Alternative Medicine*, 9(1), 30.
- [6] Nabavi, S. F., Maggi, F., Daglia, M., Habtemariam, S., Rastrelli, L., & Nabavi, S. M. (2015). Pharmacological effects of *Cuminum cyminum* L. and its constituents: A review of preclinical and clinical studies. *Food Chemistry*, 173, 330-340.
- [7] Patel, S. (2016). Cumin (Cuminum cyminum L.) and its active principles: A dietary supplement with multifaceted pharmacological functions. *Comprehensive Reviews in Food Science and Food Safety*, 15(6), 646-657.
- [8] Platel, K., & Srinivasan, K. (2000). Influence of dietary spices and their active principles on pancreatic digestive enzymes in albino rats. *Food/Nahrung*, 44(1), 42-46.
- [9] Singh, R., Singh, S., & Parihar, P. (2016). Anticancer and antimicrobial activities of bioactive compounds in *Cuminum cyminum. Journal of Ethnopharmacology*, 194, 123-131.